

CARDIOVASCULAR AND METABOLIC RESEARCH GROUP OF UNIVERSIDAD COMPLUTENSE

Institution

Prof Victoria Cachofeiro
Physiology and Internal Medicine Departments, School of Medicine
Universidad Complutense,
Madrid, Spain
Email: vcara@ucm.es
Telephone number: +34-394-1489
www.ucm.es

Members

Victoria Cachofeiro Ramos, Professor. Head of the group
María Miana, PhD. Associate Research
María Visitación Bartolomé Pascual, Assistant Professor
Raquel Jurado López. Technician
Luis Álvarez Sala, Associate Professor, Internist
María Luaces Méndez, MSc. Cardiologist
Ana Torres Do Rego, MSc. Internist
Belén Bauzá, predoctoral student

Laboratory research interests

Our group is a well-established Research Group in the field of biomedical research in the cardiovascular field that is currently staffed by both basic and clinical researchers of different departments of Universidad Complutense. The group has worked for almost 30 years with the mechanisms involved in the cardiovascular damage associated with cardiovascular risk factors such as ageing, diabetes, hypertension and, more recently, obesity. Since 2004 we have launched a line of research into the impact of increased body mass on the cardiovascular system. Such research has been focused on the problem in a global manner – from laboratory to patient – and therefore representative of a translational approach. Overweightness and obesity constitute a major public health problem in the western world, with a more than 50 percent incidence in Europe, associated comorbidities and health care costs, and compromising of quality of life and overall survival. Both overweightness and obesity are related to other risk factors such as hypertension, dyslipidemia, diabetes and atherosclerosis – the two latter of which have been an area of research in our laboratory for over 20 years. At this moment some our major aims of interest are:

- Explore the mechanisms involved in the cardiovascular damage associated with obesity with special interest in the potential role of aldosterone.
- Analyze the potential mechanisms involved in aorta abdominal dilatation to abdominal aorta aneurism with special interest in the potential role of aldosterone.
- Explore and look for biomarkers that help to identify those of patients which can get more benefit for bariatric surgery.
- Analyze the mechanisms involved in the cardiovascular consequences of ageing with special interest in the potential role of aldosterone.

The group also participates in different clinical trials as a laboratory of reference.

Facilities

- Molecular laboratory: Analysis of nucleic acids (DNA and RNA) and proteins
- Cell culture laboratory: the equipment includes CO₂ incubators and inverse microscope.

- Immunohistochemistry and Imaging: this unit is equipped with all the material necessary to prepare the tissues which also includes bright field and fluorescence microscopes with fluorite lens and monochrome and colour cameras and an analysis system.
- General Laboratory: This unit is equipped with all the material necessary to perform any biochemical techniques. .
- Animal facilities for different animals with operating facilities and the systems for measurement of cardiac, vascular and renal functions.

In addition, the University has proteomic, genomic as well as Image Units :

Expertise

The group belongs to Cardiovascular Spanish Research Network (RIC) which permits an interaction with different Spanish groups -- both clinical and basic. In addition, we have international collaborations with some groups in Brasil: Dra Luciana Rossoni (Sa Paulo) and Dr Dalton Vassalo (Vitoria).Through a collaboration with Dra. Natalia López-Ándres (Pamplona), we have some interactions with Drs. Faiez Zannad and Patrick Rossignol (Nancy, France) and Frederic Jaisser (Paris, France).

Publications (last 5 years)

1. de las Heras N, Martín-Fernández B, Miana M, Ballesteros S, Oubiña MP, López-Farré AJ, Cachofeiro V, Lahera V. The protective effect of irbesartan in rats fed a high fat diet is associated with modification of leptin-adiponectin imbalance. *J Hypertens* 2009; 27 Suppl 6: S37-41. PMID: 19633450.
2. Martin-Fernandez B, Miana M, De las Heras N, Ruiz-Hurtado G, Fernandez-Velasco M, Bas M, Ballesteros S, Lahera V, Cachofeiro V, Delgado C. Cardiac L-type calcium current is increased in a model of hyperaldosteronism in the rat. *Exp Physiol* 2009; 94(6): 675-83. PMID: 19395659.
3. Calderón-Sánchez E, Delgado C, Ruiz-Hurtado G, Domínguez-Rodríguez A, Cachofeiro V, Rodríguez-Moyano M, Gomez AM, Ordóñez A, Smani T. Urocortin induces positive inotropic effect in rat heart. *Cardiovasc Res*. 2009; 83(4):717-25. PMID: 19460778.
4. Rueda-Clausen CF, López-Jaramillo P, Luengas C, del Pilar Oubiña M, Cachofeiro V, Lahera V. Inflammation but not endothelial dysfunction is associated with the severity of coronary artery disease in dyslipidemic subjects. *Mediators Inflamm*. 2009; 2009:469169. PMID: 19584917.
5. Rueda-Clausen CF, Lahera V, Calderón J, Bolívar IC, Castillo VR, Gutiérrez M, Carreño M, Oubiña MD, Cachofeiro V, López-Jaramillo P. The presence of abdominal obesity is associated with changes in vascular function independently of other cardiovascular risk factors. *Int J Cardiol*. 2010; 139(1):32-41. PMID:18922591.
6. Zamorano-León JJ, Modrego J, Mateos-Cáceres PJ, Macaya C, Martín-Fernández B, Miana M, de las Heras N, Cachofeiro V, Lahera V, López-Farré AJ. A proteomic approach to determine changes in proteins involved in the myocardial metabolism in left ventricles of spontaneously hypertensive rats. *Cell Physiol Biochem*. 2010; 25(2-3):347-58. PMID: 20110695.
7. Smani T, Calderón-Sánchez E, Gómez-Hurtado N, Fernández-Velasco M, Cachofeiro V, Lahera V, Ordoñez A, Delgado C. Mechanisms underlying the activation of I-type calcium channels by urocortin in rat ventricular myocytes. *Cardiovasc Res*. 2010; 87 (3):459-66. PMID:20189952.
8. Blanco-Rivero J, De Las Heras N, Martín-Fernández B, Cachofeiro V, Lahera V, Balfagón G. Rosuvastatin restored adrenergic and nitrergic function in mesenteric arteries from obese rats. *Br J Pharmacol*. 2011; 162(1):271-85. PMID: 20840472.
9. Martín-Fernández B, de Las Heras N, Miana M, Ballesteros S, Delgado C, Song S, Hintze T, Cachofeiro V, Lahera V. Structural, Functional and Molecular Alterations Produced by Aldosterone Plus Salt in Rat Heart: Association With Enhanced SGK-1 Expression. *J Cardiovasc Pharmacol*. 2011; 57(1):114-21. PMID: 20980916.
10. Furieri LB, Galán M, Avendaño MS, García-Redondo AB, Aguado A, Martínez S, Cachofeiro V, Bartolomé MV, Alonso MJ, Vassallo DV, Salaices M. Endothelial dysfunction of rat coronary arteries after exposure to low concentrations of mercury is dependent on the level of reactive oxygen species. *Br J Pharmacol*. 2011; 162(8):1819-31. PMID: 21232032.

11. Miana M, de Las Heras N, Rodríguez C, Sanz-Rosa D, Martín-Fernández B, Messanp S, Lahera V, Martinez-González J, Cachofeiro V. Effect of eplerenone on hypertension-associated renal damage in rats: potential role of peroxisome proliferator activated receptor gamma (PPAR- γ). *J Physiol Pharmacol* 2011; 62:87-94. PMID: 25451213.
12. Guadall A, Orriols A, Alcudia JF, Cachofeiro V, Martínez-Gonzalez J, Rodríguez C. Hypoxia-induced ROS signaling is required for lysyl oxidase up-regulation in endothelial cells. *Front Biosci* 2011 ;3:955-67.
13. Furieri LB, Fiorese M, Junior RF, Bartolomé MV, Fernandes AA, Cachofeiro V, Lahera V, Salaices M, Stefanon I, Vassallo DV. Exposure to low mercury concentration *in vivo* impairs myocardial contractile function. *Toxicol Appl Pharmacol*. 2011;255(2):193-9.
14. Rossoni LV, Oliveira RAF; Caffaro RR; Miana M; Sanz-Rosa D, Koike MK, Do Amaral SL; Michelini LC; Lahera V; Cachofeiro V. Cardiac benefits of exercise training in aging spontaneously hypertensive rats. *J Hypertens* 2011; 29(12):2349-58.
15. Lopez-Andres N, Martin-Fernandez B, Rossignol P, Zannad F, Lahera V, Fortuno MA, Cachofeiro V, Diez J. A role for cardiotrophin-1 remodelling induced by aldosterone .*Am J Physiol Heart Circ Physiol*. 2011; 301(6):H2372-82
16. Lahera V, Cachofeiro V, de Las Heras N. Interplay of Hypertension, Inflammation, and Angiotensin II.*Am J Hypertens*. 2011; 24:1059.
17. Álvarez G, Bartolomé MV, Miana M, Jurado R, Martín R, Zuluaga P, Martínez E, Nieto ML, Alvarez-Sala LA, Millán J, Lahera V, Cachofeiro V. The effects of adiponectin and leptin on human endothelial cell proliferation: a live-cell study. *J Vasc Res* 2012; 49(2):111-122.
18. Luaces M, Cachofeiro V, García-Muñoz-Najar A, Medina M, González N, Cancer E, Rodríguez-Robles A, Cánovas G, Antequera-Pérez A. Modificaciones anatomofuncionales del corazón en la obesidad mórbida. Cambios tras la cirugía bariátrica. *Rev Esp Cardiol*, 2012; 65(1):14-21.
19. Gómez-Hernández A, Otero YF, de Las Heras N, Escribano O, Cachofeiro V, Lahera V, Benito M. Brown Fat Lipotrophy and Increased Visceral Adiposity through a Concerted Adipocytokines Overexpression Induces Vascular Insulin Resistance and Dysfunction. *Endocrinology*. 2012; 153(3):1242-55.
20. Martín-Fernández B, de Las Heras N, Miana M, Ballesteros S, Valero-Muñoz M, Vassallo D, Davel AP, Rossoni LV, Cachofeiro V, Lahera V. Spironolactone prevents alterations associated with cardiac hypertrophy produced by isoproterenol in rats: involvement of SGK-1. *Exp Physiol*. 2012; 97:710-718.
21. de Las Heras N, Aller MA, Martín-Fernández B, Miana M, Ballesteros S, Regadera J, Cachofeiro V, Arias J, Lahera V. A wound-like inflammatory aortic response in chronic portal hypertensive rats. *Mol Immunol*. 2012;51(2):177-87.
22. Ruiz-Hurtado G, Gómez-Hurtado N, Fernández-Velasco M, Calderón E, Smani T, Ordoñez A, Cachofeiro V, Boscá L, Díez J, Gómez AM, Delgado C. Cardiotrophin-1 induces sarcoplasmic reticulum Ca²⁺ leak and arrhythmogenesis in adult rat ventricular myocytes. *Cardiovasc Res*. 2012; 1:96(1):81-9.
23. Martín R, Miana M, Jurado-López R, Martínez-Martínez E, Gómez-Hurtado N, Delgado C, Visitación Bartolomé M, San Román JA, Cordova C, Lahera V, Nieto ML, Cachofeiro V. DIOL Triterpenes Block Profibrotic Effects of Angiotensin II and Protect from Cardiac Hypertrophy. *PLoS One*. 2012;7(7):e41545.
24. Fernandez Juarez G, Luño J, Barrio V, de Vinuesa SG, Praga M, Goicoechea M, Cachofeiro V, Nieto J, Fernández Vega F, Tato A, Gutierrez E; PRONEDI Study Group. Effect of Dual Blockade of the Renin-Angiotensin System on the Progression of Type 2 Diabetic Nephropathy: A Randomized Trial. *Am J Kidney Dis. Am J Kidney Dis*. 2013 Feb;61(2):211-8
25. Muñoz-Pacheco P, Ortega-Hernández A, Miana M, Cachofeiro V, Fernández-Cruz A, Gómez-Garre D. Ezetimibe inhibits pma-induced monocyte/macrophage differentiation by altering microrna expression: a novel anti-atherosclerotic mechanism. *Pharmacol Res*. 2012 Sep 15. pii: S1043-6618(12)00169-7
26. Roque FR, Briones AM, García-Redondo AB, Galán M, Martínez-Revelles S, Avendaño MS, Cachofeiro V, Fernandes T, Vassallo DV, Oliveira EM, Salaices M. Aerobic exercise reduces oxidative stress and improves vascular changes of small mesenteric and coronary arteries in hypertension. *Br J Pharmacol*. 2013 168(3):686-703

27. Calvier L, Miana M, Reboul P, Cachofeiro V, Martinez- Martinez E, de Boer RA, Poirier F, Lacolley P, Zannad F, Rossignol P, López-Andrés N. Galectin-3 mediates aldosterone-induced vascular fibrosis. *Arterioscler Thromb Vasc Biol* 2013;1:67-75.
28. Luaces M, Martínez-Martínez E, Medina M, Miana M, González N, Fernández-Pérez C, Cachofeiro V. The impact of bariatric surgery on renal and cardiac functions in morbidly obese patients. *Nephrol Dial Transpl* 2012 Dec;27 Suppl 4:iv53-7.
29. Aguado A, Galán M, Zhenyukh O, Wiggers GA, Roque FR, Redondo S, Peçanha F, Martín A, Fortuño A, Cachofeiro V, Tejerina T, Salaices M, Briones AM. Mercury induces proliferation and reduces cell size in vascular smooth muscle cells through MAPK, oxidative stress and cyclooxygenase-2 pathways. *Toxicol Appl Pharmacol*. 2013 268(2):188-200
30. de las Heras N, Valero-Muñoz M, Ballesteros S, Gómez-Hernández A, Martín-Fernández B, Blanco-Rivero J, Cachofeiro V, Benito M, Balfagón G, Lahera V. Factors involved in rosuvastatin induction of insulin sensitization in rats fed a high fat diet. *Nutr Metab Cardiovasc Dis*. 2013; S0939-4753(12)00279-7.
31. Valero-Muñoz M, Martín-Fernández B, Ballesteros S, Martínez-Martínez E, Blanco-Rivero J, Balfagón G, Cachofeiro V, Lahera V, de Las Heras N. Relevance of vascular PGC-1 α in molecular alterations in atherosclerosis. *Exp Physiol*. 2013 98(5):999-1008.
32. Stefanon I, Valero-Muñoz M, Fernandes AA, Ribeiro RF Jr, Rodríguez C, Miana M, Martínez-González J, Spalenza JS, Lahera V, Vassallo PF, Cachofeiro V. Left and right ventricle late remodeling following myocardial infarction in rats. *PLoS One*. 2013 May 31;8(5):e64986.
33. Fernández-Juárez G, Luño J, Barrio V, de Vinuesa SG, Praga M, Goicoechea M, Lahera V, Casas L, Oliva J; PRONEDI Study Group. 25(OH) vitamin D levels and renal disease progression in patients with type 2 diabetic nephropathy and blockade of the renin-angiotensin system. *Clin J Am Soc Nephrol*. 2013 Nov;8(11):1870-6.
34. Martínez-Martínez E, Miana M, Jurado-López R, Rousseau E, Rossignol P, Zannad F, Cachofeiro V, López-Andrés N. A role for soluble ST2 in vascular remodeling associated with obesity in rats. *PLoS One*. 2013 Nov 12;8(11):e79176.
35. Martínez-Martínez E, Jurado-López R, Valero-Muñoz M, Bartolomé MV, Bastelleros S, Luaces M, Briones AM, López-Andrés N, Miana M, Cachofeiro V. Leptin induces cardiac fibrosis through galectin-3, mTOR and oxidative stress. Potential role of obesity. *J Hypertens* (in press).
36. Torres A, Klop B, Birnie E, Elte JW, Cachofeiro V, Alvarez-Sala LA, Castro M. Diurnal triglyceridemia in relation to alcohol intake in men. *Nutrients* 2013;5(12):5114-26
37. Martínez-Martínez E, Jurado-López R, Cervantes-Escalera P, Cachofeiro V, Miana M. Leptin, a mediator of cardiac damage associated with obesity. *Horm Mol Biol Clin Invest* (in press).
38. Martínez-Martínez E, Miana M, Jurado-López R, Bartolomé MV, Neto FV, Salaices M, López-Andrés N, Cachofeiro V. The potential role of leptin in the vascular remodeling associated with obesity. *Int J Obes* (in press)